



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

An Account of an Apparatus on a peculiar Construction for performing Electro-magnetic Experiments. By W. H. Pepys, Esq. F.R.S. Read April 10, 1823. [*Phil. Trans.* 1823, p. 187.]

This instrument consists of two plates, each fifty feet long and two wide, one of copper and the other of zinc. They are rolled round a cylinder of wood, and their contact is prevented by the interposition of hair rope and notched sticks. This coil is counterpoised and suspended by a rope and pulleys over a tub of acid, into which it is immersed when required for use. When thus immersed, with its poles connected by a sufficient conductor, it affected magnetic needles at a distance of five feet, and was extremely powerful in conferring magnetism upon steel bars, which acquire a north polarity at the copper, and a south at the zinc plate. The electric intensity of the apparatus is exceedingly feeble.

On the Condensation of several Gases into Liquids. By Mr. Faraday, Chemical Assistant in the Royal Institution. Communicated by Sir Humphry Davy, Bart. P.R.S. Read April 10, 1823. [*Phil. Trans.* 1823, p. 189.]

The gases which the author has succeeded in condensing into the liquid form, are, the sulphurous acid, sulphuretted hydrogen, carbonic acid, euchlorine, nitrous oxide, cyanogen, ammonia, muriatic acid, and chlorine. The process by which they were condensed, consisted in liberating them from certain of their compounds in small glass tubes, hermetically sealed and bent, so that when required, the end might answer the purpose of a receiver, and be occasionally immersed in ice or freezing mixtures. They generally appear as exceedingly limpid, colourless, and mobile fluids, and assume the gaseous form with various degrees of rapidity and violence upon the removal of that pressure by which they had been previously restrained.

In this paper Mr. Faraday details the particular method to which he resorted for obtaining each of these liquid bodies, and describes such of their characters as his experiments have hitherto enabled him to determine.

Liquid sulphurous acid appears to exert a pressure of about 2 atmospheres, at 45°. The pressure of the vapour of sulphuretted hydrogen was equal to about 13 atmospheres, at 32°; that of carbonic acid to 40 atmospheres, at 45°; of nitrous oxide 48 atmospheres, at 50°; of cyanogen between 3 and 4 atmospheres, at 45°; of muriatic acid 28 atmospheres, at 32°.

The author's attempts to obtain hydrogen, oxygen, fluoric, fluo-silicic, and phosphuretted hydrogen gases in the form of liquids, have hitherto been without success.